

# The **STAR** of the Hot Tub Industry

- Simple...Nordic Hot Tubs are simple to use and operate. Not a lot of bells and whistles, simply great quality.
- Therapeutic...Nordic Hot Tubs have DTS™ (Dual Therapy Systems) with direct pressure massage and whirlpool therapy in EVERY tub for the ultimate hot water experience.
- **Affordable...**Nordic Hot Tubs are offered in 5 series so you can find the perfect hot tub at the right price making us your Perfectly Affordable Luxury!
- Reliable...Nordic Hot Tubs have an industry leading warranty. We use top quality components and we stand behind every Nordic Hot Tub.

# **Industry Leading Warranties**

#### LIFETIME SHELL LIMITED WARRANTY

We warrant against the loss of water through the shell caused by defect in materials and workmanship for the lifetime of the original purchaser or as long as the original purchaser owns the hot tub.

#### THREE YEAR COMPONENT LIMITED WARRANTY

We warrant the electrical components, pumps, air valves, slice valves, and hot tub components against malfunction, leaking or defects in materials or workmanship for a period of three years from the original date of purchase.

#### **FIVE YEAR HEATER LIMITED WARRANTY**

We warrant the heating element of the hot tub to be free of defects in materials and workmanship for a period of five years from the original date of purchase.

#### THREE YEAR NO LEAK LIMITED WARRANTY

We warrant the hot tub to not leak for a period of three years from the original date of purchase.

### TEN YEAR PERMA-WOOD CABINET LIMITED WARRANTY

We warrant the PermaWood cabinet material to be free from defects in material and workmanship for a period of ten years from the original date of purchase.

#### ONE YEAR CEDAR CABINET LIMITED WARRANTY

We warrant the natural cedar cabinet (when applicable) – to be free from defects in materials and workmanship for a period of one year from the original date of purchase.

## BP Wifi Pack with Spa Touch 2<sup>™</sup>



## **ControlMySpa**™



Control the lights



Set the Temperature



**Set-up Schedules** 



Receive Push notifications

Upgrade your Sport Edition or Luxury Series with Balboa's BP Wifi Pack with Spa Touch 2™



 $Spa\ Touch\ 2^{{}^{\text{\tiny{TM}}}}\ Topside\ Contoller$ 



BP 100 Power Pack



Status Pro LED Indicator

Control your spa with the ControlMySpa™ app

Spa Touch 2™ touch screen topside

BP 100 Wifi Power Pack

Know your spa is on with the Status Pro LED Indicator

Additional bba™ 2 Bluetooth Stereo Upgrade



\*bba™ 2 Stereo only available with BP Pack Upgrade



**Hydrotherapy Benefits** 

- Stress Reduction
- © Exercise Soreness Recovery
- ® Relieves Fibromyalgia Pain

- Pain Management
- @ Improves Sleep
- ® Relieves Arthritis

# Beyond Hydrotherapy...

Nordic's DTS<sup>™</sup> Dual Therapy System combines direct pressure therapy with the benefit of all over whirlpool therapy to create the ultimate hydrotherapy experience.

### **RESTORE**

Direct Pressure Therapy gives instant relief to tight and sore muscles.



# Direct Pressure Therapy + Whirlpool Therapy









### **ALL-IN-110V SERIES**

This value series is designed to be an easy "Plug N Play" hot tub while providing our exclusive \*DTS<sup>TM</sup> (Dual Therapy System<sup>TM</sup>) technology. The combination of high-volume whirlpool flow and targeted direct pressure jets provides the ultimate hot water therapy experience. The All-In-110V Series has installed standard features usually found in top-of-the-line models, such as: adjustable stainless-steel jets, LED lighting, ozone, GFCI cord and our \*Nordic Wrap insulation.

### **CLASSIC SERIES**

This series is what started the Nordic Passion! Classic round hot tubs provide our exclusive \*DTS™ whirlpool therapy with comfortable barrier free seating. These models will fit most any need from size to depth and accommodate those wanting a simple hot water therapy solution at the best value. Adjustable stainless steel jetting and an LED light are standard in this series. Most models are convertible for 110V or 220V electrical hook ups and \*MLP™ Mood Lighting Package is an option in this series.

### **MODERN SERIES**

This series contains different shapes and sizes to fulfill anyone's needs. With stylish and comfortable models, this series offers an array of seating capacity, depth, unique layout and all are convertible for 110V or 220V electrical hook ups. Whirlpool flow, \*DTS™, adjustable stainless steel jetting and an LED light are standard in this series. \*NLP™ Northern Light Package is an option in the Modern Series except the Bella.

### **SPORT EDITION**

This series is for those that want more jet pressure in their hydrotherapy. These hot tubs are also found in the Modern Series but have increased horsepower to deliver the highest water flow available. Along with more hydrotherapy power, this series comes standard with our \*NLP $^{\text{M}}$  Northern Light Package and adjustable stainless steel jetting.

### **LUXURY SERIES**

This series has all the features you want while keeping focus on simplicity and value. The hot tubs in this series have dual pump systems which provide the absolute best hydrotherapy available. Whirlpool flow \*DTS™, adjustable stainless steel jetting and \*NLP™ Northern Light Package are standard. Truly the top of the line and at a cost far less than the competitors, the Luxury Series value speaks for itself.

### **SPORT 110**

### **DIMENSIONS**

Seating	5 person
Diameter	78.5 in (199 cm)
Depth	35 in (89 cm)
Weight (Dry)	280 lbs (127 kg)
Operating Capacity	280 gal (1060 L)

### **JETS**

Total Jets	15
5" Nordic Star™ Directional Whirlpool	1
3" Nordic Star™ Directional	2
3" Nordic Star™ Dual Rotational	3
2" Nordic Star™ Directional	8
1" Ozone Jet (Ozonator Included)	1

LCOII WILITI	
Volts	110v (GFCI Cord Included)
Amps	15a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Included)
Heater	1kw
Light N	Footwell LED (Standard) Mood Lighting Package (Optional)
Pump	(1) 1hp Continuous Duty
Bluetooth Ste	reo Not Available



Shell: White



Shell: White | Cabinet: Charcoal



### **CROWN 110**

### **DIMENSIONS**

Seating	6 person
Diameter	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	345 lbs (156 kg)
Operating Capacity	275 gal (1041 L)

### **JETS**

Total Jets	15
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	3
3" Nordic Star™ Directional	4
3" Nordic Star™ Dual Rotational	4
2" Nordic Star™ Directional	2
1" Ozone Jet (Ozonator Included)	1

Volts	110v (GFCI Cord Included)
Amps	15a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Included)
Heater	1kw
Light	Footwell LED (Standard) Mood Lighting Package (Optional)
Pump	(1) 1hp Continuous Duty
Bluetooth Ste	ereo Not Available



Shell: White



Shell: White | Cabinet: Mahogany



### **WARRIOR XL 110**

### **DIMENSIONS**

Seating	6 person
Diameter	84 in (213 cm)
Depth	38.5 in (98 cm)
Weight (Dry)	375 lbs (170 kg)
Operating Capacity	330 gal (1249 L)

### **JETS**

Total Jets	13
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	3
3" Nordic Star™ Directional	4
3" Nordic Star™ Dual Rotational	4
1" Ozone Jet (Ozonator Included)	1

LCOII WILL	
Volts	110v (GFCI Cord Included
Amps	15
Control Pad	4 button Topside w/LED Displa
Insulation:	Foam (Standard Nordic Wrap (Included
Heater	1kv
Light	Footwell LED (Standard Mood Lighting Package (Optiona
Pump	(1) 1hp Continuous Dut
Bluetooth St	ereo Not Availabl



Shell: White



Shell: White | Cabinet: Charcoal



### D'AMOUR 110

### **DIMENSIONS**

Seating	2 person
Length	84 in (213 cm)
Width	72 in (183 cm)
Depth	34 in (86 cm)
Weight (Dry)	352 lbs (160 kg)
Operating Capacity	205 gal (776 L)

### **JETS**

Total Jets	14
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	4
1" Ozone Jet (Ozonator Included)	1

	•
Volts	110v (GFCI Cord Included)
Amps	15a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Included)
Heater	1kw
Light N	Side Wall LED (Standard) orthern Lights Package (Optional)
Pump	(1) 1hp Continuous Duty
Bluetooth Ste	ereo Not Available



Shell: White



Shell: White | Cabinet: Mahogany



### STELLA 110

### **DIMENSIONS**

Seating	3 person
Length	84 in (213 cm)
Width	62 in (157 cm)
Depth	34 in (86 cm)
Weight (Dry)	416 lbs (189 kg)
Operating Capacity	240 gal (908 L)

### **JETS**

Total Jets	13
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	1
3" Nordic Star™ Directional	2
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	2
1" Ozone Jet (Ozonator Included)	1

Volts	110v (GFCI Cord Included)
Amps	15a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Included)
Heater	1kw
Light No	Side Wall LED (Standard) orthern Lights Package (Optional)
Pump	(1) 1hp Continuous Duty
Bluetooth Ster	reo Not Available





Shell: White



Shell: White | Cabinet: Black

### **RETREAT 110**

### **DIMENSIONS**

Seating	5 person
Length	80 in (203 cm)
Width	70 in (178 cm)
Depth	34 in (86 cm)
Weight (Dry)	395 lbs (179 kg)
Operating Capacity	250 gal (946 L)

### **JETS**

Total Jets	13
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	3
3" Nordic Star™ Dual Rotational	6
1" Ozone Jet (Ozonator Included)	1

Volts	110v (GFCI Cord Included)
Amps	15a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Included)
Heater	1kw
Light N	Footwell LED (Standard) orthern Lights Package (Optional)
Pump	(1) 1hp Continuous Duty
Bluetooth Ste	reo Not Available



Shell: Coastal



Shell: White | Cabinet: Mahogany



### **IMPULSE**

### **DIMENSIONS**

Seating	5 person
Diameter	78.5 in (199 cm)
Depth	31 in (79 cm)
Weight (Dry)	270 lbs (122 kg)
Operating Capacity	266 gal (1007 L)

### **JETS**

Total Jets	14
5" Nordic Star™ Directional Whirlpool	1
3" Nordic Star™ Directional	2
3" Nordic Star™ Dual Rotational	2
2" Nordic Star™ Directional	8
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v (GFCI Cord Optional)
Amps	15a / 40a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Optional)
Heater	1kw on 110v / 4kw on 220v
Light	Footwell LED (Standard) Mood Lighting Package (Optional)
Pump	(1) 1hp Continuous Duty
Bluetooth Ste	ereo Optional Upgrade



Shell: White



Shell: White | Cabinet: Charcoal

### **IMPULSE DP**

### **DIMENSIONS**

Seating	5 person
Diameter	78.5 in (199 cm)
Depth	35 in (89 cm)
Weight (Dry)	280 lbs (127 kg)
Operating Capacity	280 gal (1060 L)

### **JETS**

Total Jets	15
5" Nordic Star™ Directional Whirlpool	1
3" Nordic Star™ Directional	2
3" Nordic Star™ Dual Rotational	3
2" Nordic Star™ Directional	8
1" Ozone Ready Jet (Ozonator Optional)	1

LCOII WILIA		
Volts	110v / 220v (GFCI Cord Option	al)
Amps	15a / 4	0a
Control Pad	4 button Topside w/LED Displ	ау
Insulation:	Foam (Standaı Nordic Wrap (Option	
Heater	1kw on 110v / 4kw on 22	0v
Light	Footwell LED (Standar Mood Lighting Package (Option	,
Pump	(1) 1hp Continuous Du	uty
Bluetooth St	reo Optional Upgra	de



Shell: White



Shell: White | Cabinet: Charcoal

### **CROWN II**

### **DIMENSIONS**

Seating	5 person
Diameter	78.5 in (199 cm)
Depth	35 in (89 cm)
Weight (Dry)	335 lbs (152 kg)
Operating Capacity	280 gal (1060 L)

### **JETS**

Total Jets	
5" Nordic Star™ Directional Whirlpool	1
3" Nordic Star™ Directional	16
3" Nordic Star™ Dual Rotational	3
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v (GFCI Cord Optional)
Amps	20a / 40a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Optional)
Heater	1kw on 110v / 4kw on 220v
Light	Footwell LED (Standard) Mood Lighting Package (Optional)
Pump	(1) 2hp Continuous Duty
Bluetooth Ste	reo Optional Upgrade



Shell: Drift



Shell: Drift | Cabinet: Black

### **CROWN**

### **DIMENSIONS**

Seating	6 person
Diameter	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	345 lbs (156 kg)
Operating Capacity	275 gal (1041 L)

### **JETS**

Total Jets	22
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	3
3" Nordic Star™ Directional	3
3" Nordic Star™ Dual Rotational	4
2" Nordic Star™ Directional	10
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v (GFCI Cord Optiona
Amps	20a / 40
Control Pad	4 button Topside w/LED Displa
Insulation:	Foam (Standard Nordic Wrap (Optiona
Heater	1kw on 110V / 4kw on 220
Light	Footwell LED (Standard Mood Lighting Package (Optiona
Pump	(1) 2hp Continuous Dut
Bluetooth Ste	reo Optional Upgrad



Shell: White



Shell: White | Cabinet: Mahogany

### **WARRIOR XL**

### **DIMENSIONS**

Seating	6 person
Diameter	84 in (213 cm)
Depth	38.5 in (89 cm)
Weight (Dry)	375 lbs (170 kg)
Operating Capacity	330 gal (1249 L)

### **JETS**

Total Jets	21
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	3
3" Nordic Star™ Dual Rotational	4
2" Nordic Star™ Directional	12
1" Ozone Ready Jet (Ozonator Optional)	1

LCOII WILIT	
Volts	110v / 220v (GFCI Cord Optiona
Amps	20a / 40
Control Pad	4 button Topside w/LED Displa
Insulation:	Foam (Standard Nordic Wrap (Optiona
Heater	1kw on 110v / 4kw on 220
Light	Footwell LED (Standard Mood Lighting Package (Optiona
Pump	(1) 2hp Continuous Du
Bluetooth Ste	reo Optional Upgrac



Shell: White



Shell: White | Cabinet: Cedar

### **CROWN XL**

### **DIMENSIONS**

Seating	6 person
Diameter	84 in (213 cm)
Depth	38.5 in (89 cm)
Weight (Dry)	400 lbs (181 kg)
Operating Capacity	330 gal (1249 L)

### **JETS**

Total Jets	30
5" Nordic Star™ Directional Whirlpool	2
5" Nordic Star™ Dual Rotational	3
3" Nordic Star™ Directional	3
3" Nordic Star™ Dual Rotational	4
2" Nordic Star™ Directional	17
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	220v
Amps	40a
Control Pad 4 bu	tton Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Optional)
Heater	4kw
Light Mood I	Footwell LED (Standard) Lighting Package (Optional)
Pump	(1) 3hp Continuous Duty
Bluetooth Stereo	Optional Upgrade



Shell: Eclipse



Shell: Eclipse | Cabinet: Charcoal

### **BELLA MS**

### **DIMENSIONS**

Seating	2 person
Length	83 in (211 cm)
Width	34 in (86 cm)
Depth	38.5 in (98 cm)
Weight (Dry)	268 lbs (122 kg)
Operating Capacity	135 gal (511 L)

### **JETS**

Total Jets	15
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
2" Chrome Fixed Cluster	10
1" Ozone Ready Jet (Ozonator Optional)	2

	-	
Volts	110v / 2	220v (GFCI Cord Optional)
Amps		15a / 40a
Control Pad	4 butt	on Topside w/LED Display
Insulation:		Foam (Standard) Nordic Wrap (Optional)
Heater		1kw on 110v / 4kw on 220v
Light	Mood Li	Side Wall LED (Standard) ghting Package (Optional)
Pump		(1) 1hp Continuous Duty
Bluetooth Ste	ereo	Not Available



Shell: Drift



Shell: Drift | Cabinet: Charcoal

### **D'AMOUR MS**

### **DIMENSIONS**

Seating	2 person
Length	84 in (213 cm)
Width	72 in (183 cm)
Depth	34 in (86 cm)
Weight (Dry)	352 lbs (160 kg)
Operating Capacity	205 gal (776 L)

### **JETS**

Total Jets	26
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	16
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v
Amps	20a / 40a
Control Pad 4 l	outton Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Optional)
Heater	1kw on 110v / 4kw on 220v
Light North	Side Wall LED (Standard) nern Lights Package (Optional)
Pump	(1) 2hp Continuous Duty
Bluetooth Stereo	Optional Upgrade



Shell: White



Shell: White | Cabinet: Mahogany

### **STELLA MS**

### **DIMENSIONS**

Seating	3 person
Length	84 in (213 cm)
Width	62 in (157 cm)
Depth	34 in (86 cm)
Weight (Dry)	416 lbs (189 kg)
Operating Capacity	240 gal (908 L)

### **JETS**

Total Jets	21
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	1
3" Nordic Star™ Directional	4
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	8
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v
Amps	20a / 40a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Optional)
Heater	1kw on 110v / 4kw on 220v
Light No	Side Wall LED (Standard) orthern Lights Package (Optional)
Pump	(1) 2hp Continuous Duty
Bluetooth Ster	eo Optional Upgrade



Shell: White



Shell: Coastal | Cabinet: Charcoal

### **RETREAT MS**

### **DIMENSIONS**

Seating	5 person
Length	80 in (203 cm)
Width	70 in (178 cm)
Depth	34 in (86 cm)
Weight (Dry)	395 lbs (179 kg)
Operating Capacity	250 gal (946 L)

### **JETS**

Total Jets	28
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	1
3" Nordic Star™ Directional	4
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	15
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v
Amps	20a / 40a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard) Nordic Wrap (Optional)
Heater	1kw on 110v / 4kw on 220v
Light No	Side Wall LED (Standard) rthern Lights Package (Optional)
Pump	(1) 2hp Continuous Duty
Bluetooth Stere	eo Optional Upgrade



Shell: White



Shell: White | Cabinet: Mahogany

### **JUBILEE MS**

### **DIMENSIONS**

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	470 lbs (213 kg)
Operating Capacity	325 gal (1230 L)

### **JETS**

Total Jets	30
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	6
3" Nordic Star™ Dual Rotational	5
2" Nordic Star™ Directional	15
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v (GFCI Cord Optional)
VOILS	1 TOV / 220V (GFCI COId Optional
Amps	20a / 40a
Control Pad	4 button Topside w/LED Display
Insulation:	Foam (Standard
	Nordic Wrap (Optional
Heater	1kw on 110v / 4kw on 220v
Light	Side Wall LED (Standard)
N	orthern Lights Package (Optional)
Pump	(1) 2hp Continuous Duty
Bluetooth Ste	reo Optional Upgrade



Shell: White



Shell: Greystone | Cabinet: Charcoal

### **ENCORE MS**

### **DIMENSIONS**

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	475 lbs (215 kg)
Operating Capacity	330 gal (1249 L)

### **JETS**

Total Jets	32
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	6
3" Nordic Star™ Dual Rotational	5
2" Nordic Star™ Directional	17
1" Ozone Ready Jet (Ozonator Optional)	1

Volts	110v / 220v (GFCI Cord Optiona
Amps	20a / 40
Control Pad	4 button Topside w/LED Displa
Insulation:	Foam (Standard Nordic Wrap (Optiona
Heater	1kw on 110v / 4kw on 220
Light N	Side Wall LED (Standard orthern Lights Package (Optiona
Pump	(1) 2hp Continuous Du
Bluetooth Ste	reo Optional Upgrac



Shell: White



Shell: Shadow | Cabinet: Charcoal

### D'AMOUR SE

#### **DIMENSIONS**

Seating	2 person
Length	84 in (213 cm)
Width	72 in (183 cm)
Depth	34 in (86 cm)
Weight (Dry)	352 lbs (160 kg)
Operating Capacity	205 gal (776 L)

#### **JETS**

Total Jets	26
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	16
1" Ozone Ready Jet (Ozonator Optional)	1

#### WATERFALL

Nordic Cascade™

Volts		220v
Amps		40a
Control Pad	4 button Top:	side w/LED Display
Insulation:	Nord	Foam (Standard) dic Wrap (Optional)
Heater		4kw
Light N	orthern Lights I	Package (Standard)
Pump	(1) 3h	p Continuous Duty
Bluetooth Ste	ereo	Optional Upgrade
BP Wifi Pack v	v/ Spa Touch 2	Optional Upgrade



Shell: White



Shell: Greystone | Cabinet: Charcoal

### STELLA SE

### **DIMENSIONS**

Seating	3 person
Length	84 in (213 cm)
Width	62 in (157 cm)
Depth	34 in (86 cm)
Weight (Dry)	416 lbs (189 kg)
Operating Capacity	240 gal (908 L)

### **JETS**

Total Jets	23
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	1
3" Nordic Star™ Directional	6
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	8
1" Ozone Ready Jet (Ozonator Optional)	1

### WATERFALL

Nordic Cascade™

Volts		220v
Amps		40a
Control Pad	4 button Top:	side w/LED Display
Insulation:	Nord	Foam (Standard) dic Wrap (Optional)
Heater		4kw
Light No	orthern Lights I	Package (Standard)
Pump	(1) 3h	p Continuous Duty
Bluetooth Ste	ereo	Optional Upgrade
BP Wifi Pack w	// Spa Touch 2	Optional Upgrade



Shell: White



Shell: Eclipse | Cabinet: Black

### **RETREAT SE**

### **DIMENSIONS**

Seating	5 person
Length	80 in (203 cm)
Width	70 in (178 cm)
Depth	34 in (86 cm)
Weight (Dry)	395 lbs (179 kg)
Operating Capacity	250 gal (946 L)

### **JETS**

Total Jets	29
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	1
3" Nordic Star™ Directional	4
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	15
1" Ozone Ready Jet (Ozonator Optional)	1

### WATERFALL

Nordic Cascade™

Volts		220v
Amps		40a
Control Pad	4 button Top:	side w/LED Display
Insulation:	Nord	Foam (Standard) dic Wrap (Optional)
Heater		4kw
Light N	orthern Lights I	Package (Standard)
Pump	(1) 3h	p Continuous Duty
Bluetooth Ste	ereo	Optional Upgrade
BP Wifi Pack v	v/ Spa Touch 2	Optional Upgrade



Shell: Drift



Shell: White | Cabinet: Mahogany

### **JUBILEE SE**

### **DIMENSIONS**

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	500 lbs (227 kg)
Operating Capacity	325 gal (1230 L)

### **JETS**

Total Jets	38
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	6
3" Nordic Star™ Dual Rotational	7
2" Nordic Star™ Directional	21
1" Ozone Ready Jet (Ozonator Optional)	1

### WATERFALL

Nordic Cascade™

Volts	220v	
Amps	40a	
Control Pad 4 button T	opside w/LED Display	
Insulation:	Foam (Standard) lordic Wrap (Optional)	
Heater 4kg		
Light Northern Ligh	t Northern Lights Package (Standard	
Pump (1)	3hp Continuous Duty	
Bluetooth Stereo	Optional Upgrade	
BP Wifi Pack w/ Spa Touch	2 Optional Upgrade	



Shell: White



Shell: White | Cabinet: Mahogany

### **ENCORE SE**

### **DIMENSIONS**

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	520 lbs (236 kg)
Operating Capacity	330 gal (1249 L)

### **JETS**

Total Jets	40
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	8
3" Nordic Star™ Dual Rotational	5
2" Nordic Star™ Directional	23
1" Ozone Ready Jet (Ozonator Optional)	1

### WATERFALL

Nordic Cascade™

Volts	220v	
Amps	40a	
Control Pad 4 button Top	side w/LED Display	
Insulation:	Foam (Standard) dic Wrap (Optional)	
Heater 4kv		
Light Northern Lights	t Northern Lights Package (Standard	
Pump (1) 3h	p Continuous Duty	
Bluetooth Stereo	Optional Upgrade	
BP Wifi Pack w/ Spa Touch 2	Optional Upgrade	



Shell: Drift



Shell: Drift | Cabinet: Mahogany

### JUBILEE LS

#### **DIMENSIONS**

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	565 lbs (257 kg)
Operating Capacity	325 gal (1155 L)

### **JETS**

Total Jets	46
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	9
3" Nordic Star™ Dual Rotational	8
2" Nordic Star™ Directional	25
1" Ozone Ready Jet (Ozonator Optional)	1

#### WATERFALL

Nordic Cascade™

	220v
	50a
6 button Tops	side w/LED Display
Nord	Foam (Standard) dic Wrap (Optional)
Heater 4kv	
Northern Lights Package (Standard)	
(1) 2hp & (1) 3h	p Continuous Duty
Bluetooth Stereo Optional Upgrad	
v/ Spa Touch 2	Optional Upgrade
	Nord orthern Lights I (1) 2hp & (1) 3h



Shell: Eclipse (shown with optional Spa Touch  $2^{TM}$ )



Shell: White | Cabinet: Mahogany

### **ENCORE LS**

### **DIMENSIONS**

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	585 lbs (266 kg)
Operating Capacity	330 gal (1249 L)

### **JETS**

Total Jets	53
5" Nordic Star™ Directional Whirlpool	1
5" Nordic Star™ Dual Rotational	2
3" Nordic Star™ Directional	11
3" Nordic Star™ Dual Rotational	7
2" Nordic Star™ Directional	31
1" Ozone Ready Jet (Ozonator Optional)	1

### WATERFALL

Nordic Cascade™

Volts	220v					
Amps	50a					
Control Pad 6 button Tops	side w/LED Display					
Insulation:	Foam (Standard) dic Wrap (Optional)					
Heater	4kw					
Light Northern Lights	Package (Standard)					
Pump (1) 2hp & (1) 3h	p Continuous Duty					
Bluetooth Stereo	Optional Upgrade					
BP Wifi Pack w/ Spa Touch 2 Optional Up						



Shell: Drift



Shell: Drift | Cabinet: Black

### **RENDEZVOUS LS**

### **DIMENSIONS**

Seating	8 person
Length	96 in (244 cm)
Width	84 in (213 cm)
Depth	36 in (91 cm)
Weight (Dry)	625 lbs (283 kg)
Operating Capacity	373 gal (1412 L)

### **JETS**

Total Jets	49
5" Nordic Star™ Directional Whirlpool	2
5" Nordic Star™ Dual Rotational	3
3" Nordic Star™ Directional	11
3" Nordic Star™ Dual Rotational	6
2" Nordic Star™ Directional	25
1" Ozone Ready Jet (Ozonator Optional)	2

#### WATERFALL

Nordic Cascade™

Volts		220v
Amps		50a
Control Pad	6 button Top	side w/LED Display
Insulation:	Nord	Foam (Standard) dic Wrap (Optional)
Heater		4kw
Light I	Northern Lights	Package (Standard)
Pump	(1) 2hp & (1) 3h	p Continuous Duty
Bluetooth S	tereo	Optional Upgrade
BP Wifi Pack	w/ Spa Touch 2	Optional Upgrade



Shell: White



Shell: White | Cabinet: Mahogany

### What's next?

For a personalized quote head to our website or visit your local authorized Nordic dealer! For inspiration, ideas and resources, check out our social media accounts and join the Nordic family.









Instagram @nordichottubs Facebook @nordichottubs Pinterest @nordichottubss



# ACCESSORIES & ENHANCEMENTS



Nordic Clean™ Ozone



Nordic Pure<sup>™</sup> Ozone



Sound System



Stainless Steel Banding (Round tubs only)



NORDIC WRAP™
An Eco-friendly, 2 ½" thick blanket that provides a durable, weatherresistant barrier in addition to, our standard 2 lb. density foam.

**NORTHERN LIGHT PACKAGE** (NLP) Standard on Sport Edition (SE) and Luxury Series (LS) tub models. Optional upgrade on select All-In-110V Series and all Modern Series (MS), except Bella.



LED Whirlpool Jet



Footwell/Side Wall Light



Nordic Cascade™ LED Waterfall



Corner Lighting



**LED Cup Coasters** 

#### **MOOD LIGHTING PACKAGE (MLP)**

Optional upgrade on select All-In-110V Series, all Classic Series (CS) and Bella.



LED Whirlpool Jet



Footwell/Side Wall Light



Sconce Lighting

### SHELLS & CABINETS

### **PERMASHELL™ COLORS**



### PERMAWOOD™ CABINET COLORS



Color samples are for reference only. Actual product color may vary slightly. Nordic Products Inc. reserves the right to change any specifications without notice.

Section 1			0	165			M 534			S 16 35 4	
ORD			ALL-IN-11	OV SERIES					CLAS	SIC SERIES	5
TORDIO TO TUB	SPORT	CROWN	WARRIOR XL	D'AMOUR	STELLA	RETREAT	IMPULSE	IMPULSE DP	CROWN II	CROWN	WARRIOR XL
SPECS	_	,	,			_	-	-	-	,	,
Seating Length (inches)	5	6	6	2 84	3 84	5 80	5	5	5	6	6
Width (inches)				72	62	70		7.7			
Diameter (inches)	78.5	84	84	12	02	70	78.5	78.5	78.5	84	84
Depth (inches)	35	35	38.5	34	34	34	31	35	35	35	38.5
Dry Weight (lbs)	280	345	375	352	416	395	270	280	335	345	375
Operating Capacity (gal)	280	275	330	205	240	250	266	280	280	275	330
JETS	200	270	355	200	2-10	200	200	200	200	210	333
Total Jets	15	15	13	14	13	13	14	15	21	22	21
5" Nordic Star™ Directional Whirlpool	1	1	1	1	1	1	1	1	1	1	1
5" Nordic Star™ Dual Rotational		3	3	2	1	2				3	3
3" Nordic Star™ Directional	2	4	4	6	2	3	2	2	16	3	
3" Nordic Star™ Dual Rotational	3	4	4		6	6	2	3	3	4	4
2" Nordic Star™ Directional	8	2	1919	4	2	MARK.	8	8	- 37	10	12
2" Chrome Fixed Cluster	1811	755		The said	7 60	1953	1973	STATE OF			
1" Ozone Jet	1	1	1	1	1	1	1	1	1	1	1
Nordic Cascade™ Waterfall	art at the		-	de	A TOTAL PARTY	22///22	100	N NA		WAY.	
LIGHTING		· · ·	· · ·			.,	~	· ·	~	~	· ·
Footwell LED	Х	Х	Х	V	Y Y	X	Х	Х	X	Х	X
Sidewall LED	ODT	ODT	ODT	Х	Х	Allegan	ODT	ODT	ODT	ODT	ODT
Mood Lighting	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT
Northern Lights Package INSULATION	The second	114, 300	70000	UPI	UPI	UPI	12/1				
Standard 2 lb Foam	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	X
Nordic Wrap™ Installed	X	X	X	X	X	X	OPT	OPT	OPT	OPT	OPT
OZONE OPTION						^	01.	O1 .	01.	Oi .	01.
Nordic Clean™ Installed	Х	Х	Х	Х	Х	Х	OPT	OPT	OPT	OPT	OPT
Nordic Pure™ Installed	5	St. Dr.					OPT	OPT	OPT	OPT	OPT
STEREO / WIFI OPTION											
Bluetooth Stereo	15-3		-				OPT	OPT	OPT	OPT	OPT
BP Wifi Pack w/ Spa Touch 2™		المستخ									
BBA Stereo		4									
PUMP											
1 hp Continuous Duty	Х	Х	Χ	Χ	Χ	Х	X	Χ			
2 hp Continuous Duty			3						Х	Х	Х
3 hp Continuous Duty				7.4							
VOLTS		· · ·	· · ·			.,					
110v	X	X	X	X	X	X	ODT	ODT			
110v/15 amp GFCI Cord	Х	Х	Х	Χ	Χ	Х	OPT	OPT	OPT	OPT	OPT
110v/20 amp GFCI Cord 110v/220v Convertible			2.7				X	X	X	X	X
220v							^	^	^	^	^
AMPS											
15 amps	Х	Х	Х	Х	Х	Х	11				
15/40 amp Convertible							Х	Х			
20/40 amp Convertible									Х	Х	Х
40 amps											
50 amps	#4								167	-179	
											-

			1			100	4-21-E		ALTERNATION OF THE PARTY.	15.75		BOWNS,		2.1	
	MODERN SERIES						SPORT EDITION					LUXURY SERIES			
CROWN XL	BELLA	D'AMOUR	STELLA	RETREAT	JUBILEE	ENCORE	D'AMOUR	STELLA	RETREAT	JUBILEE	ENCORE	JUBILEE	ENCORE	RENDEZVOUS	
4	2	2	2	-		4	2	2	_	4	4	4		8	
6	2 83	2 84	3 84	5 80	6 84	6 84	2 84	3 84	5 80	6 84	6 84	6 84	6 84	96	
Maria Maria	34	72	62	70	84	84	72	62	70	84	84	84	84	84	
84	34	72	02	70	04		12	1	( )	04	1	0-1	04	04	
38.5	38.5	34	34	34	35	35	34	34	34	35	35	35	35	36	
400	268	352	416	395	470	475	352	416	395	500	520	565	585	625	
330	135	205	240	250	325	330	205	240	250	325	330	325	330	373	
20	4.5	0.4	04	20	20	20	2.4	0.2	0.0	20	40	4.6	F2	40	
30	15 1	26 1	21 1	28 1	30 1	32 1	26 1	23 1	28 1	38 1	40 1	46 1	53 1	49 2	
3	2	2	1	1	2	2	2	1	1	2	2	2	2	3	
3 X	PANACA	6	4	4	6	6		6	4	6	8	9	11	11	
4	West		6	6	5	5	6	6	6	7	5	8	7	6	
17	130	16	8	15	15	17	16	8	15	21	23	25	31	25	
The state of the s	10	1000	11/2								1	11811	13.77	V 1	
1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	
No. of Contract of		4		180		100	1	1	1	1	1	1	1	1	
X	0.7.6.020			X			100000000000000000000000000000000000000								
X	X	X	Х		Х	Х	200								
OPT	OPT					antitice.	WITS								
10353	170 6	OPT	OPT	OPT	OPT	OPT	Х	Х	Х	Х	Х	Х	Х	Х	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	Х	
OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	
OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	
OPT	OFF	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	
0		0	0	0	0	0	0.1	0, .	0	0	0	0	<u> </u>	911	
OPT	27	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	
STATE OF				200	111		OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	
		NA:			77	. 30	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	
	V	-			August Sales										
	X	X	X	X	X	X		W -				Х	X	X	
X	W C	^	^	^	^	- 45 E	X	X	X	X	X	X	X	X	
1-3	1997					3	100								
10 m	OPT	- 47, 17								*					
		OPT	OPT	OPT	OPT	OPT	1000								
V	Х	X	Х	Х	Х	Х		V	\/	\/	V		\/	V	
Х							Х	Х	Х	Х	Х	Х	Х	Х	
	Х	127													
		Х	Х	Х	Х	Х									
Х							Х	Х	Х	Х	Х				
			-									Х	Χ	Х	









